

Images in clinical medicine

A 40-year-old female with III-degree utero cervical descent

Dharti Khewale, Manjusha Mahakalkar

Corresponding author: Dharti Khewale, Department of Obstetrics and Gynaecology Nursing, Srimati Radhikabai Meghe Memorial College of Nursing, Datta Meghe Institute of Higher Education and Research (DU) Sawangi Meghe, Maharashtra, Wardha, India. khewaledharti@gmail.com

Received: 03 Jun 2023 - **Accepted:** 28 Jun 2023 - **Published:** 17 Jul 2023

Keywords: Uterine prolapse, cervicitis, cervical descent, pelvic organ prolapse

Copyright: Dharti Khewale et al. Pan African Medical Journal (ISSN: 1937-8688). This is an Open Access article distributed under the terms of the Creative Commons Attribution International 4.0 License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Cite this article: Dharti Khewale et al. A 40-year-old female with III-degree utero cervical descent. Pan African Medical Journal. 2023;45(128). 10.11604/pamj.2023.45.128.40650

Available online at: <https://www.panafrican-med-journal.com//content/article/45/128/full>

A 40-year-old female with III-degree utero cervical descent

Dharti Khewale^{1,&}, Manjusha Mahakalkar¹

¹Department of Obstetrics and Gynaecology Nursing, Srimati Radhikabai Meghe Memorial College of Nursing, Datta Meghe Institute of Higher Education and Research (DU) Sawangi Meghe, Maharashtra, Wardha, India

&Corresponding author

Dharti Khewale, Department of Obstetrics and Gynaecology Nursing, Srimati Radhikabai Meghe Memorial College of Nursing, Datta Meghe Institute

of Higher Education and Research (DU) Sawangi Meghe, Maharashtra, Wardha, India

Image in medicine

Inside the pelvis, the uterus (or womb) is normally situated with various muscles, tissue, and ligaments. These muscles get weak after pregnancy, childbirth and difficult labor in women. A prolapsed uterus is a disorder that occurs when a woman's uterus drops into the vaginal canal as she ages or due to a natural depletion of the hormone oestrogen. We report the case of a 40-year-old female who was brought by her son to the hospital. The patient reported that something coming out of the vagina for 2 years, and it was

progressive in nature. The cervical biopsy was done, and the histopathology report showed chronic cervicitis with hyperkeratosis and the ultrasonography showed severe cystitis and bilateral hydronephrosis. The vaginal examination

revealed the patient had 3rd degree utero cervical descent. A hysterectomy was done, and postoperatively she was treated with intravenous analgesics, and antibiotics during hospitalization.



Figure 1: A,B) III degree utero cervical descent